# AD-A280 199

AD	•	
		-

CONTRACT NO: DAMD17-87-C-7014

TITLE: PRODUCTION OF ANTIGENS AND ANTIBODIES FOR DIAGNOSIS

OF ARBOVIRUS DISEASES

PRINCIPAL INVESTIGATOR: Robert E. Shope, M.D.

CONTRACTING ORGANIZATION: Yale University School of Medicine

333 Cedar Street P.O. Box 20846

New Haven, Connecticut 06510-8047

REPORT DATE: May 20, 1994

TYPE OF REPORT: Annual Report



PREPARED FOR: U.S. Army Medical Research, Development,

Acquisition and Logistics Command (Provisional), Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;

distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.



Pette Committee de la seconda de la seconda

# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

in for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other assection, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Je

Davis Highway, Surte 1204, Arlington, VA 22202-4302.		get, Paperwork Reduction Pro	ject (0704-0186), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	•	D DATES COVERED
	20 May 1994	Annual Repo	rt (4/1/88 - 3/31/89)
4. TITLE AND SUBTITLE			S. FUNDING NUMBERS
Production of Antigen	s and Antibodies	for	
Diagnosis of Arboviru	s Diseases		Contract No.
			DAMD17-87-C-7014
6. AUTHOR(S)			
Robert E. Shope, M.D.			
7. PERFORMING ORGANIZATION NAME(			8. PERFORMING ORGANIZATION REPORT NUMBER
Yale University School	ol of Medicine		
333 Cedar Street			
P.O. Box 20846			
New Haven, Connecticu	t 06510-8047		
9. SPONSORING/MONITORING AGENCY	NAME (S) AND ADDRESS (ES)		10. SPONSORING / MONITORING
U.S. Army Medical Res	• •	n.+	AGENCY REPORT NUMBER
Acquisition and Logis			
Fort Detrick, Frederi			
Fort Detrick, Frederi	.ck, Maryland 21	/UZ-JUIZ	
			)
11. SUPPLEMENTARY NOTES			
·			
12a. DISTRIBUTION/AVAILABILITY STAT	EMENT		12b. DISTRIBUTION CODE
Approved for public r			
distribution unlimite	e <b>d</b>		
			<u> </u>
13. ABSTRACT (Maximum 200 words)			

Antigens and antibodies were produced and standardized for use in the ELISA. Antigens were produced by sucrose-acetone extraction of suckling mouse brain for Germiston, Qalyub, Sicilian, vesicular stomatitis Indiana, and Ganjam viruses. The antigens were inactivated with beta-propiolactone.

Rabbits were immunized successfully intravenously with Ross River, Germiston, and Japanese encephalitis viruses using immunogens grown in RK-13 rabbit kidney cells. These animals were boosted 2 months after the initial immunization. Titers in ELISA for optimal coating of the solid phase ranged between 1:500 and 1:64000.

14. SUBJECT TERMS			15. NUMBER OF PAGES
Antigens, Antibod immunosorbent ass	16. PRICE COOE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	Unlimited
NSN 7540-01-280-5500		\$	tandard Form 298 (Rev. 2-89)

Prescribed by ANSI Std. 239-16 298-162

## SUMMARY

Antigens and antibodies were produced and standardized for use in the ELISA. Antigens were produced by sucrose-acetone extraction of suckling mouse brain for Germiston, Qalyub, Sicilian, vesicular stomatitis Indiana, and Ganjam viruses. The antigens were inactivated with beta-propiolactone.

Rabbits were immunized successfully intravenously with Ross River, Germiston, and Japanese encephalitis viruses using immunogens grown in RK-13 rabbit kidney cells. These animals were boosted 2 months after the initial immunization. Titers in ELISA for optimal coating of the solid phase ranged between 1:500 and 1:64000.

#### **FOREWORD**

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

In conducting research using animals, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

Lobert Shope May 20, 1994
PI Signature Date

3

# TABLE OF CONTENTS

Front page1
Report documentation page2
Summary3
Foreword3
Table of contents4
Body of report5
1. Production of mouse brain sucrose-acetone extracted antigens5
2. Production of antibody to arboviruses in rabbits5
Discussion and conclusions6

Acces	sion Po	r	
MTIS	GRA&I	(4	/
DIIC	TAB	ă	
Unam	becamen.	Ō	
Jest 1	ficatio	n	
<u> </u>			
Ву			
Distr	ibmtiqu	<b>Y</b>	
Ava1	labilit	y Çedes	
	Aveil &	and/or	
Dist	Speci	lal	
	1		
N/I			
n I	i i		
<b>' \$</b>	1		

#### BODY OF REPORT

## 1. Production of mouse brain sucrose-acetone extracted antigens.

Five antigens were prepared during the year as listed here:

Antigen	Strain	Passage	Number of lots	Volume to date (ml)
Germiston	SA AR1050	sm17/19/20	6	473
Qalyub	EgAr 370	sm4	6	229
Sicilian	Sabin	sm37,Vero2	1	23
VS-Indiana	Ind. Lab	sm7	1	45
Ganjam	IG 619	sm5	1	67

Additionally, 22 viruses were passaged in baby mice awaiting preparation of antigen lots. These were lymphocytic choriomeningitis (4 lots), Maguari (5 lots), Mayaro (2), O'nyong-nyong (2), Qalyub (4), Rocio (3), Tataguine (1), tick-borne encephalitis (2), vesicular stomatitis-New Jersey (4), vesicular stomatitis-Indiana (6), West Nile (1), Zika (8), Belterra (4), Bunyamwera (3), Ganjam (5), Hazara (9), Hughes (2), Ilheus (2), Ilesha (7), Jamestown Canyon (1), Japanese encephalitis (1), and LaCrosse (1).

# 2. Production of antibody to arboviruses in rabbits.

Rabbits were immunized to Japanese encephalitis, Hazara, Bhanja, Ilheus, Qalyub, Bwamba, Oropouche, Germiston, and Ross River. It was found that rabbits responded with much higher titers when they were rested for two months after the initial series of 3 iv inoculations, then boosted iv and bled one week later.

### Results of initial testing were:

Virus	RK-13 titer	Optimal titer in ELISA Volu	me (ml)
Ross River	3 log LD50	1:500	25
Germiston	>4.5 log LD50	1:1000 1:16000	37 38
Japanese enc.	>4.5 log LD50	1:1000 1:64000	33 13

Attempts to immunize rabbits with C6/36 cell grown virus were associated with non-specific background in ELISA.

#### DISCUSSION AND CONCLUSIONS

Two problems merit discussion:

- 1. Initial success in adapting arboviruses to grow in RK-13 cells has not held up. Approximately half of the viruses do not appear to grow. Further, the tick-borne agents as a rule do not grow in the proposed alternative system, C6/36 cells, and non-specific background in ELISA has been observed.
- 2. A much more pervasive problem involves the senior technician employed to do the mouse and rabbit inoculation, and the processing of antigens and ammonium sulfate concentration of IgG. He became ill during the first month of this project year. He was diagnosed as having carcinoma of the colon and underwent surgery. The tumor had metastasized and he was left with a colostomy. He was entitled to remain on full pay for a 6-month period because of accumulated sick leave and vacation and the project was without technical help for the remainder of the contract period. An Associate in Research is actively being sought to fill the position now, but the work is significantly behind schedule.